## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



62.81

1.3. Dependent of Agriculture

## WHOLESALE TRADE LIST

# HOWELL NURSERIES

KNOXVILLE, TENNESSEE

The following list constitutes our surplus. In offering it we do so with confidence that we can please, both in quality of stock and in digging and packing.

TERMS: Our terms are net cash or satisfactory reference before shipment. If satisfactory references are given the terms are thirty days.

PRICES: Prices apply to wholesale quantities and are based on 100 rates.

GUARANTEE: We make no guarantee of any kind whatever, either expressed or implied. All claims, to receive our attention, must be made when the goods are received.

SHIPPING AND BOXING: Boxing charged at cost unless cash accompanies order, in which case boxing is free. Explicit shiping instructions should be given in every case.

We wish to thank our patrons for the liberal share of their business given us in the past.

HOWELL NURSERIES Knoxville, Tennessee

## WHOLESALE LIST

For less than 5 plants add 10% to price for 10; for more than 10 and less than 25 add 10% to price of 100.

		per 10 p	oer 100
Abelia		\$3.50B&	:B
#	2-3'	4.50 "	
"	3-4'	5, 50 "	
Acer dasycarpum	6-8'	5.00	
"		7.50	
Althea amplissima	3-4'	2.50	20.00
" double red		2.00	15.00
11 11 11		2.50	20.00
" Jeanne d'Arc	2-3'	2.50	20.00
" totus albus	2-3'	2.00	18.00
11 11 11			20.00
		M. 50	20.00
Aralia pentaphylla	2-3'	2. 50	20.00
" " " " " " " " " " " " " " " " " " " "	3-4'	3.00	25.00
Azalea amoena	12-15"	12,50	
11 11			
11 11			
" ledifolia alba		17.50	
II II II			
" macranthus		20.00	
maci antinus	3 yı.	40.00	
Baccharis halmifolia	4-5'	3.50	
Berberis thunbergi			15.00
11	2-3'	2.00	18.00
" wilsonae			100.00
" "	2-3'	15. 00 "	125. 00
Betula alba (white birch)	3-4'	4.00	
11 11 11 11	4-5'	5.00	
n n n n	5-6'	- 6.00	
Biota aurea conspicua	18-24".	12.50	110.00
" " "		17.50	150.00
n n		2	200.00
" nana	•	12. 50	100.00
" " "			
			110.00
**************			125.00
pyramiuai is			110.00
		17.50	150.00
			200, 00
blue green		7.50	
11 11 11		10.00	
11 11 11		-12.50	
11 11 11	30-36"	15.00	
" boni ta	15-18"	13.50	
ti ti ti	18-24"	15, 00	

		ner 10	per 100
Biota dailey nana	12-15"		75.00
			90.00
11 11 11	18-24"	12.50	110.00
н п п			125.00
" griffing pyramidalis green	2-3'	15.00	
	- 3-4'		
" " " " " " " " " " " " " " " " " " " "			
" orientalis			
,			
			<b>7</b> 0.00
" rosedale			70, 00
" semper aurescens			90.00
semper aurescens			
	2 2 3		
Buddleia	2-3'	2.50	20.00
Buxus sempervirens	- 15-18"	12.50	100.00
11 11			150.00
Cedrus atlantica	2-3'	17.50	
" deodara	-15-18"	7. 50	70.00
11	18-24"	10.00	90.00
и и	24-30"	12. 50	110.00
" "	30-36"	15. 00	140.00
11 11			175.00
tt		25.00	225. 00
	ger specimens	.= =0	
" libani	2-3'	17. 50	
Celastris scandens			
Gerastris scandens	- 2-3'	····· 5. <b>0</b> 0	
a'			
Cephalotaxus harringtonia fastigata	-12-18"	15, 00	
Cephalotaxus harringtonia fastigata		15, 00	
Cephalotaxus harringtonia fastigata	-12-18" -18-24"	20. 00	
Cephalotaxus harringtonia fastigata  """  Cercis canadensis	-12-18" -18-24" -4-5'		
Cephalotaxus harringtonia fastigata  Cercis canadensis	12-18" -18-24" 4-5' 5-6'		
Cephalotaxus harringtonia fastigata  Cercis canadensis	12-18" -18-24" 4-5' 5-6' 6-8'		
Cephalotaxus harringtonia fastigata  Cercis canadensis	12-18" -18-24" 4-5' 5-6' 6-8'		
Cephalotaxus harringtonia fastigata  Cercis canadensis	12-18" -18-24" 4-5' 5-6' 6-8' 8-10'		
Cephalotaxus harringtonia fastigata  Cercis canadensis  """  Cornus florida plena	12-18" -18-24" 4-5' -5-6' -6-8' -8-10'	3. 50 	
Cephalotaxus harringtonia fastigata  Cercis canadensis	12-18" -18-24" 4-5' -5-6' -6-8' -8-10'		
Cephalotaxus harringtonia fastigata  Cercis canadensis  """  Cornus florida plena  """  rubra	12-18" -18-24" 4-5' -5-6' -6-8' -8-10'		
Cephalotaxus harringtonia fastigata  Cercis canadensis  """  Cornus florida plena  """  rubra	12-18" 18-24" 4-5' 5-6' 6-8' 8-10' 2' 18-24" 2-3'		
Cercis canadensis  """  Cornus florida plena  """  """  """  """  """  """  """	12-18"  4-5' 5-6' 6-8' 8-10'  18-24" 2'		
Cephalotaxus harringtonia fastigata  Cercis canadensis  Cornus florida plena  rubra  rubra  rubra	12-18" -18-24" 4-5' 5-6' 6-8' 8-10' 2' -18-24" -2-3' -12-18" -18-24"	15, 00 20, 00 3, 50 4, 00 5, 00 6, 00 15, 00 12, 50 10, 00 12, 50	
Cercis canadensis  Cornus florida plena  rubra  Cotoneaster horizontalis  Crape Myrtle pink	12-18" 18-24" 4-5' 5-6' 6-8' 8-10' 2' 18-24" 2-3' 12-18" -18-24"	15. 00 20. 00 3. 50 4. 00 5. 00 6. 00 15. 00 12. 50 10. 00 12. 50 12. 50 3. 00	25. 00
Cercis canadensis  Cornus florida plena  rubra  rubra  Cotoneaster horizontalis	12-18" 18-24" 4-5' 5-6' 6-8' 8-10' 2' 18-24" 2-3' 12-18" -18-24" 2-3' 3-4'	15, 00 20, 00 3, 50 4, 00 5, 00 6, 00 15, 00 12, 50 10, 00 12, 50 10, 00 12, 50 10, 00 12, 50 10, 00 12, 50	30.00
Cephalotaxus harringtonia fastigata  """""  Cercis canadensis  """"  Cornus florida plena  """"  Cotoneaster horizontalis  """  Crape Myrtle pink  """  """  """  """  """  """  """	12-18" -18-24" -2' -18-24" -2-3' -18-24" -2-3' -2-3' -2-3' -2-3' -2-3'	15, 00 20, 00 3, 50 4, 00 5, 00 6, 00 15, 00 12, 50 10, 00 12, 50 10, 00 12, 50 3, 00 3, 50 3, 00	30.00 25.00
Cercis canadensis  Cercis canadensis  Cornus florida plena  rubra	12-18" -18-24"  4-5' -5-6' -6-8' -8-10'  18-24" -2-3' -18-24" -2-3' -3-4' -2-3' -3-4' -3-4'	15, 00 20, 00 3, 50 4, 00 5, 00 6, 00 15, 00 12, 50 10, 00 12, 50 10, 00 12, 50 3, 00 3, 50 3, 50 3, 50	30.00 25.00 30.00
Cephalotaxus harringtonia fastigata  """""  Cercis canadensis  """"  Cornus florida plena  """"  Cotoneaster horizontalis  """  Crape Myrtle pink  """  """  """  """  """  """  """	12-18" -18-24"  4-5' -5-6' -6-8' -8-10'  18-24" -2-3' -18-24" -2-3' -3-4' -2-3' -3-4' -3-4'	15, 00 20, 00 3, 50 4, 00 5, 00 6, 00 15, 00 12, 50 10, 00 12, 50 10, 00 12, 50 3, 00 3, 50 3, 50 3, 50	30.00 25.00
Cercis canadensis  Cornus florida plena  rubra  rubra  Cotoneaster horizontalis  """  Crape Myrtle pink  """  """  """  """  """  """  """	12-18" -18-24" -2' -18-24" -2-3' -18-24" -2-3' -3-4' -2-3' -3-4' -2-3'	15, 00 20, 00 3, 50 4, 00 5, 00 6, 00 15, 00 12, 50 10, 00 12, 50 10, 00 12, 50 3, 00 3, 50 3, 50 4, 00	30.00 25.00 30.00
Cercis canadensis  """  Cornus florida plena  """  rubra  """  Cotoneaster horizontalis  """  Crape Myrtle pink  """  """  ""  """  """  Wm. Toovey  Crataegus oxycantha	12-18" -18-24"  4-5' -5-6' -6-8' -8-10'  18-24" -2-3' -18-24" -2-3' -3-4' -2-3' -3-4' -2-3' -3-4' -2-3' -3-4' -2-3'	15, 00 20, 00 3, 50 4, 00 5, 00 6, 00 15, 00 12, 50 10, 00 12, 50 10, 00 12, 50 3, 00 3, 50 3, 50 4, 00	30.00 25.00 30.00
Cercis canadensis  Cornus florida plena  rubra  rubra  Cotoneaster horizontalis  """  Crape Myrtle pink  """  """  """  """  """  """  """	12-18" -18-24"  4-5' -5-6' -6-8' -8-10'  18-24" -2-3' -18-24"  2-3' -3-4' -2-3' -3-4' -2-3' -3-4' -2-3' -3-4' -2-3' -3-4' -2-3' -3-4' -3-3' -3-4' -3-3' -3-4' -3-3'	15, 00 20, 00 3, 50 4, 00 5, 00 6, 00 15, 00 12, 50 10, 00 12, 50 10, 00 12, 50 3, 00 3, 50 3, 50 4, 00 12, 50	30.00 25.00 30.00

			10 100
Cunressus lawsonia	19	per 15,	10 per 100
Section 1		18-24"12.	
11		2-3'	
<b>5</b>			W. at two
	sea ·····	<b>2-3</b> ' <b>3.</b>	00
9°C			11
		18-24"	
		12-18" 7.	
		18÷24" 10.	
* "		2-3' 12.	50 110.00
		* · · · · · · · · · · · · · · · · · · ·	
		2-3/3 gyalina 3.(	
carrieri		- ····· 18-24" ····· 10.0	00 90.00
P		2 21	<b>5</b> 0 °
Exochorda grandition	7a		ວນ •-
Fague amaricana (an	perican bacch	)	n r&r
Fagus americana (am	erican beech	4-5'30. (	
a > 11		5.6'	•
ş 11	**		
1 <sup>6</sup> 2		40.0	
		3-4' 2.	50 20.00
		3.4'	
		······································	
		3.4' 2.	
		4.5' 3.	
		2.3' 2.	
71 11 11 11		3-4'2.	
g 11 11 11 11 11 11 11 11 11 11 11 11 11		4-5' 3,	
w/s			
Halesia tetraptera		····· 4.5' ···· 7,	50
i gant de la companya			
Hibiscus muschatus		large 2.	50
		· · · · · · · · · · · · · · · · · · ·	
		3.4'	
		18-24"2.	
		2-3' 2-3'	
		18-24"	
		2 yr. 2.	
" patulum h	enryi	2-3' 2.	50 20.00
They among the		20.	00
		2-3'	
		2-3'4,	
		2-3'\(\dagger^2\)\	
		3.4'15.	
		4-5'	
***		1.0	00 8.00
0		len Kramer, Madame Chereau, Midn	
Sky Blue Long Stem,	•	Ten Kramer, madame Chereau, mrun	
i i	214461100		
Iris pumila			00 8.00
		········ ··· · · · · · · · · · · · · ·	
.,			,,,,,,,

			per 10 per 1
asminum	nudiflorum	2-3'	2.50 20.
uniperus	ashfordi	18-24"	7.50 60.
11	11	2-3'	
11	11	3.4'	
*1	chinensis		
11		2-3'	
*1		3-4'	
**		12-15".	
. 11		15-18"	
**		18-24"	
**		12-15"	
11		15-18"	
11		18-24"	
11	communis		
11		3-4'	
**		4.5' ·	
**	douglasi aurea		
11		18-24"	
**		2-3'	
**		3-4' · · · · · · · · · · · · · · · · · · ·	
**	japonica		
. () **	• •	18-24"	
**		12-18"	=
71		18-24"	
**			
. **		2-3'	
**	*******	3-4'	
•			
**		18-24"	
11		12-18"	
		18-24"	
**		24-30"	
**	" upright		
11		24-30''	
11	naeborens is		
**		18-24"	
		24-30"	
**	oblonga pendula		
**		3-4!	
**		4-5'	
**	pfitzeriana		
11		18-24"	
**		24-30"	
11	sabina ····		
**	"		
**	" · horizontalis ·····	12-18"	···· - 8. 50 75.
**		18-24"	10. 00 90.
11	" tamariscifolia	10-12''	10.00
**	11 11	12-18"	12.50
11	stricta	12-15"	····· 8. 50 75.
11	والمستقلم والمستقل والمراوي	18-24"	12. 50 115.
**	suecica	18-24"	8, 50
**		24-30"	
**	tripartita		
	-1. put titu	A.V. MI I	

· y				per 100
Lauroce	rasus-english laurel	12-18"	8, 50	75.00
**	" " "	18-24''	12. 50	115.00
		2-3°	15, 00	135. 00
	rus decurrens	3-4'	15. 00	125.00
Lespedez	za formosa purple	4 vr	3, 00	25.00
neopeuc.	" white			25. 00
		7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		
Ligustru	um amurense-Amur River south -	3-4'	, 30	2.50
• • • • • • • • • • • • • • • • • • • •	japonicum	2-3'	5, 00 Ba	kΒ
. **	lodense	3.4'	7.50	1
1978 - 199	lodense	12-18"	····· 2.00	
133	ovalifolium	18-24"	25	2.00
1.27	" aureum	12-18"	7.50 B	&B
**		18-24"		1
**	pendula qui houi	24-30"	3.00	25.00
**	quihoui	<b>2-3</b> '	2, 50	20.00
Lindera	benzoin-spicewood			
• • • • • • • • • • • • • • • • • • • •	117	···· 3-4' ····	3.50	
,				
Lirioder	ndron tulipifera	4-6'	···· 5, 00	
***	în	<b>8-10'</b>	10.00	
Lonicera	bella candida	2-3'	2.50	
11 ,	bella candida	<b>3.4'</b> ,	3.00	
**	fragrantissima	2-3'	2,50	18,00
**		<b>3.4</b> '		20.00
**	"	<b>5-6'</b>	3.50	
**	heckrotti	4 yr	3.00	25.00
**	morrowi			18.00
**	11'	3.4'	····· 2.50	20.00
**	nitida	12-18":	7.50 B	&B
**	tartarica	<b>3.4'</b>	····· 2. 50	20,00
**	rosea ······	<b>4.5'</b>	<b>3.00</b>	25.00
**	" rubra			18.00
**	thibetica	3.4' ······	2.50	22.00
**	thibetica	····· 2·3.' ·······	3.00	25.00
Magnolia	a grandiflora	<b>2-3</b> '	10.00 B&	kВ
		3.4'	15, 00	
**	purpurea	18-24"	·····20.00	1
**	11 "	24-30''	··-30, 00 ''	
" '	' stellata			
**	soulangeana	····· 4·5' ·······	40.00 '	•
Mahonia	aquifolium	12-18''	<b>8.</b> 50	75. 00
**	aqui i vi i um	18-24"	11. 00	100.00
Mimosa	julibrissin	···· 2·3' ·····	····· 5.00	
••	***	<b>3-4</b> '	7. 50	
Nandina	domestica	···· 8·12''···	··· -· 6 <b>. 0</b> 0	<b>50.00</b>
"	7.	12-18"	8, 50	75, 00
*1	4 10 11 11 11 11 11 11 11 11 11 11 11 11	18.74"	11 00	100.00
11	High the state of	2-3'	13.50	125.00

		per 10	per 100
Osmanthus aquifolium			
	24-30	25.00	
		,	
Philadelphus coronarius	2-3'	2. 50	20.00
	3-4'		25.00
	4-5'		30.00
	3.4'		22. 00
grandritora		#. <b>.</b>	44. 00
Phlox subulata	•	-	15.00
rintox Subulata			13,00
DI .		Control of the second	<b>5</b> 00
Physostegia		.80	5.00
*			
Populus nigra italica			30.00
	8-10		40.00
11 11 11	10-12	* mar. 1977 23 5, 50	<b>50. 00</b>
		ø.	
Potentilla fruticosa	2-3'	2.50	
11 11	3-4!	3.00	
Retinospora ericoides	12.15'	6.00	50.00
" "	15-18	7.50	60.00
	18-24		90.00
	24-30		
			100.00
	18-24'		125.00
	24-30'		140.00
	2-3'		160.00
	3.4'		225.00
	4.5'		
	12-18'		
" " " .	18-24'	'17. 50	
	12-18'		
11 11 35	18-24"		
11	24-30"	15. 00	
	ippsi18-24'		
	12.18'		
	18-24'		
	2-3		
p.o.tota	3 <b>-4</b> '		
	4.5'		
	ia aurea12-15'	<b>40.40</b>	
argent		10.00	
11	10 10	15. 00	
aurea	18-24"		
11 11 . 11	2-3'	14.00	
11 11 11		,	
11 3 3 11 11 11 11 11 11 11 11 11 11 11	4.5'		
11 11	· 5 <b>-</b> 6'	35. 00	
11 11 11	· 6 <b>-7</b>	50.00	
" plumosa	2-3'	12. 50	
	3.4'		
	4.5'	•	,
	12-18'		
	18-24'		
	2-3'		
	3.4'		
	di18-24	•	
squarrosa serbor	24 <b>-</b> 30'		
	24 <b>-</b> 30	14. 30	

Rotin	nenara co	marroca co	iholdi	30-36"	per 10	per 100
Ketine	-			18-24''		
	,	''		2-3'		
	•	11		3-4'		
•		**		4-5'	* · • - ·	
•	٠	ridiccima		18-24"		
•						
			,	4.3	12.30	
Rhodo	tunue kar	raides		18-24"	2 50	
	cotinus			18-24"		
11	11			2-3'		
**	11		·			
**	11					
**	**			x 0	6, 00	
				3-0	0, 00	
	merican			2 yr	3, 50	
				2 yr.	2.50	
	•			3 yr		
,	MOI ONCE			J jr	5. 50	
Sedum	spectabi	lis		2 yr	1.00	10.00
	op o o tant			<b>,</b>		. 3, 00
Spirae	a anthon	waterer		12-18"	2.00	18.00
11	"			18-24"		20.00
11	11	**		2-3'	3.00	22.00
**	arguta			···· 3-4' ·······		
**				2-3'		20.00
*1				12-18"		18.00
11	. 11			18-24''-		20.00
*1	onulif			2-3'		-0.00
**	11			3-4'		
**	**			4-5'		
**	11			2-3'		
**	nruni f			2-3' · · · · · · · · · · ·		
**	prunti.			3.4'		
11	reeves			3-4'		
••	166763	-		4 <b>-</b> 5'		
**	**			3-4'		
**	11			4.5'		
"	thunha			12-15"		18.00
**	thunbe			18-24"		20.00
**	"			2-3'		20.00
**				18-24"		12.00
"	van no			2-3'		15.00
"	<b>t1</b>			<b>3-4</b> '		20.00
				J-4	4.30	20.00
Spruce	Colorad	o blue see	dlings ····	18-24"	20.00	
opi acc	donolas			18-24"	10.00	
**				18-24"		
**				2-3'		
**				18-24"		
	;			IV at	10.00	
Sympho	racarnus	chenaulti	1,01,000	2-3'	2,00	
	n acai pas	"		3-4'		
	**	racemosus		18-24"	2, 00	

			per 10
Symphor	acarpus vulgaris -		·-·· <b>2.00</b>
**		<b>2-3</b> '	
*1	11	3-4'	3.00
Syringa	Belie de Nance	3-4 <sup>t</sup>	5.00
11	Charles Joly	2-3' ······	4.00
**	Charles Tenth	2-3'	3. 50
*1	Claude Bernard		
* 1	Coerulea Superba	· · · · · · · · · · · · · · · · · · ·	<b>4.00</b>
11	Congo	2-3'	4.00
* 1	Hogo Koster	2-3'	· 4.00
**	Madame Casimir Perriere	2-3' ······	3.50
11	Michael Buchner	2-3' ·······	4.00
11	Miss Stepman	2-3'	4.00
11	Persian purple	3 <b>-4</b> '	3. 50
11	President Grevy	2-3'	4.00
**	" "	3-4'	4. 50
11	Rubra de Marley	2-3'	3.50
**	Stadig de Rothpletz	2-3'	4.00
11	Vauban		
**	Wm. Robinson	<b>2-3</b> '	4.00
We have	small quantities of many mo	re varieties.	
Thurs	ccidentalis	19 24"	7 50
Inuya o		2-3'	
11			
11		3-4'	
11		4-5'	
11		5-6'	•
11		18-24"	
**		2-3'	
11		18-24"	
11		24-30''	
11	9	12-18"	
11		18-24"	
**		24-30''	
11		18-24"	
,,		22 26"	
11		30-36"	
* 11		12-15"	
11		15-18"	
••		18-24"	
11	-	12-18"	
ir'		18-24"	
11		24-30"	
**		2-3'	
		3-4'	
**		4-5'	
**	" plicata pyramidal	is 12-18"	
	11 11	18-24"	
**	11 11 11	2-3'	
**		3-4'	
**	· ·	15-18''	
		18-24"	
**		24-30"	
		30-36"	
"		12-18"	
"	"	18-24"	

Th	!.		0.21	per 10
ı nuya	occidentali	s pyramid	alis 2-3'	12.50
**	"	**	3.4'	
11	**		4-0	
11	**		2-3'	
**	11			
**	**	wareana		
•	**	**	18-24"	
**	**	**	24-30"	15.00
••	**	"	30-36"	17. 50
Tsuga	canadensis -		18-24"	15. 00
"			2-3	
**			3-4'	
**			4-5'	
*1			5.6'	
			3.0	50.00
Hlmus	americana.		6.8'	5 00
11			8-10'	
				10.00
Vibur	num lantana.		2-3'	3.00
11			2-3'	
11	- •		18-24''	
**			2-3'	
**			3.4'	
**	•		18-24"	
**	rnytruopi			
**	tomontos		2.3'	
**			3.4'	
		*-* <b>-</b> *	J-4	3.30
Weige	la amabilis-		<b>3.4</b> '	3.00
"			<b>3-4</b> '	
11	heroine -	<del></del> -	18-24"	2.50
**	rosea		4-5'	3, 50
Willow	w-pussy		3-4'	<b>3.00</b>
11			6-8'	
**				
	· F 8			
Wister	ria purple s	eedlings -	4-5'	5. 00
Witch	hazel		2-3'	2. 50
"			3.4'	
			• 1	2.00

Yucca filimentosa ----- 2 yr.

2.50

्रास्त्रीके विकास १८४ १ - १८४४

	process to the contract of the
	• • •
	erage (* * * * * * * * * * * * * * * * * * *
. *	
•	
	* * *
•	
7 6.	
1, ,	• • •
£ .	
4 · ·	
	•
	••
• • :	
• •	
<i>t</i> :	•
•	,
	•
• .	•
• •	
• .	
•	
	•
	· · · · ·
I.,	
	Reference to

. .